Safa Trading Establishment, Inc. to The City of Austin (Fee Simple)

LEGAL DESCRIPTION

LEGAL DESCRIPTION FOR 0.508 ACRE (22,147 SQUARE FEET) OF LAND OUT OF LOT 1A, THE BLUFFS OF UNIVERSITY HILLS, RESUBDIVISION OF LOT 1 AND 2, BLOCK A, A SUBDIVISION OF RECORD IN BOOK 84, PAGE 43D OF THE PLAT RECORDS OF TRAVIS COUNTY, TEXAS AND CONVEYED TO SAFA TRADING ESTABLISHMENT, INC. BY SPECIAL WARRANTY DEED RECORDED IN VOLUME 12932, PAGE 1629 OF THE REAL PROPERTY RECORDS OF TRAVIS COUNTY, TEXAS. SAID 0.508 ACRE TRACT BEING MORE PARTICULARLY DESCRIBED BY METES AND BOUNDS AS FOLLOWS:

BEGINNING at a ½" rebar with cap stamped "COA Public Works" set on the curving westerly right-of-way line of Loyola Lane (70' right-of-way), at the southeast corner of said Lot 1A, The Bluffs of University Hills, Resubdivision of Lot 1 and 2, Block A, same being the northeast corner of Lot 2A, The Bluffs of University Hills, Resubdivision of Lot 1 and 2, Block A, for the southeast corner of the tract herein described having Texas State Plane Coordinate System of 1983 (Texas Central Zone, NAD83 (CORS), U.S. Feet, Combined Scale Factor 0.99992808) grid coordinate values of **N=10,086,188.56 E=3,138,097.24**, from which a ½" iron rod found at the southeast corner of said Lot 2A, The Bluffs of University Hills, Resubdivision of Lot 1 and 2, Block A bears S27°04'49"E, a chord distance of 116.81 feet;

THENCE, departing the westerly right-of-way line of Loyola Lane with the common line of said Lot 1A and Lot 2A, The Bluffs of University Hills, Resubdivision of Lot 1 and 2, Block A the following three (3) courses:

- 1.) S86°04'14"W, a distance of 244.34 feet to a 1/2" rebar found at an angle point;
- 2.) \$75°25'52"W, a distance of 101.98 feet to a ½" rebar found at the southwest corner of said Lot 1A, The Bluffs of University Hills, Resubdivision of Lot 1 and 2, Block A and an interior corner of said Lot 2A, The Bluffs of University Hills, Resubdivision of Lot 1 and 2, Block A, for the southwest corner of the tract herein described;
- 3.) N14°33'45"W, a distance of 57.77 feet to a ½" rebar with cap stamped "COA Public Works" set at an angle point and a common corner of Lot 1B and said Lot 2A, The Bluffs of University Hills, Resubdivision of Lot 1 and 2, Block A, from which a disturbed ½" rebar found bears S32°16'11"E, a distance of 2.90 feet and from said ½" rebar with cap stamped "COA Public Works" set, a ½" rebar found at the most southwesterly corner of said Lot 1B, The Bluffs of University Hills, Resubdivision of Lot 1 and 2, Block A bears S78°00'49"W, a distance of 15.64 feet;

THENCE, along the common line of said Lot 1A and said Lot 1B, The Bluffs of University Hills, Resubdivision of Lot 1 and 2, Block A, N05°47'15"E, a distance of 5.24 feet to a ½" rebar with

cap stamped "COA Public Works" set at the intersection of the westerly line of said Lot 1A, The Bluffs of University Hills, Resubdivision of Lot 1 and 2, Block A and the northerly line of a 10 foot wide Sanitary Sewer Easement dedicated by plat recorded in Book 84, Page 43D of the Plat Records of Travis County, Texas, for the northwest corner of the tract herein described, from which a ½" rebar found at a common angle point of said Lot 1A and Lot 1B, The Bluffs of University Hills, Resubdivision of Lot 1 and 2, Block A bears N05°47'15"E, a distance of 109.95 feet;

THENCE, departing the easterly line of said Lot 1B, Resubdivision of Lot 1 and 2, Block A and crossing said Lot 1A, Resubdivision of Lot 1 and 2, Block A with the northerly line of said 10 foot wide Sanitary Sewer Easement, N78°41'47"E, a distance of 306.67 feet to a ½" rebar with cap stamped "COA Public Works" set on the curving westerly right-of-way line of Loyola Lane for the northeast corner of the tract herein described, from which a ½" iron rod found at the northeast corner of said Lot 1A, The Bluffs of University Hills, Resubdivision of Lot 1 and 2, Block A, same being the most southeasterly corner of said Lot 1B, The Bluffs of University Hills, Resubdivision of Lot 1 and 2, Block A, bears N39°42'23"W, a chord distance of 19.37 feet to a ½" rebar found at the Point of Curvature and N40°22'15"W, a distance of 205.86 feet;

THENCE, along the curving westerly right-of-way line of Loyola Lane with a curve to the right, having a radius of 747.74 feet, a central angle of 07°24'15", an arc of 96.63 feet and a chord bearing S35°15'44"E, a distance of 96.56 feet to the POINT OF BEGINNING and containing 0.508 acre (22,147 Square Feet) of land, more or less.

This legal description was prepared by Mary P. Hawkins, R.P.L.S. No. 4433 from a survey made on the ground in February and March, 2014. Bearings are based on the Texas State Plane Coordinate System of 1983, Central Zone derived from multiple GPS VRS observations. The controlling monuments for this project are a mag nail with washer stamped "COA Public Works" set in the concrete sidewalk at the southeast corner of the intersection of Manor Road and Loyola Lane having grid coordinate values of N=10,086,567.71, E=3,137,867.98 and a mag nail with washer stamped "COA Public Works" set at the northeast corner of a concrete pad on the east side of Loyola Lane having grid coordinate values of N=10,085,966.40, E=3,138,261.39. The distances shown are surface values. The combined scale factor is 0.99993352.

MARY P. HAWKINS

1 ESSI OCCORDED CONTROL OF THE CON


Mary P. Hawkins, R.P.L.S. No. 4433

Quality Management Division Department of Public Works

City of Austin

<u>REFERENCES</u>

TCAD Parcel No. 02-2125-1301 Austin Grid M-26 & N-26



LINE TABLE

NO.	BEARING	DISTANCE
L1	N05°47'15"E	5.24'
L2	S78'00'49"W	15.64
L3	S32'16'11"E	2.90'

C	UR	VΕ	TΑ	BL	E

NO.	CHORD BEARING	CHORD DISTANCE	CENTRAL ANGLE	ARC LENGTH	RADIUS
C1	S35*15'44"E	96.56'	07°24'15"	96.63'	747.74'
C2	S27'04'49"E	116.81'	08'57'35"	116.93'	747.74
(C2)	(S25°56'55"E)	(116.96')		(117.08')	(747.74')
C3	N39°42'23"W	19.37'	01°29'03"	19.37'	747.74
C4	S36*00'15"E	115.88'	08'53'18"	116.00'	747.74
(C4)	(S34°55'E)	(116.03')		(116.15')	(747.74')

NOTE:

EASEMENTS SHOWN ON THIS SKETCH ARE LISTED IN SCHEDULE B OF THE TITLE COMMITMENT ISSUED BY ALAMO TITLE COMPANY ON DECEMBER 5, 2013, GF NO. AUT-13-671-AUT13005782SG. THERE MAY BE RECORDED OR UNRECORDED EASEMENTS NOT SHOWN HEREON THAT MAY AFFECT THE PROPERTY.

SCHEDULE B NOTES:

- RESTRICTIVE COVENANTS SET OUT ON THE PLATS RECORDED IN VOLUME 42, PAGE 12 AND VOLUME 84, PAGE 43D OF THE PLAT RECORDS OF TRAVIS COUNTY, TEXAS AND IN INSTRUMENT RECORDED IN VOLUME 3558, PAGE 398 OF THE DEED RECORDS OF TRAVIS COUNTY, TEXAS. (THE 0.508 ACRE TRACT IS SUBJECT TO THESE).
- 10 FOOT WIDE SANITARY SEWER EASEMENT AS SHOWN ON PLATS RECORDED IN VOLUME 42, PAGE 12 AND VOLUME 84, PAGE 43D OF THE PLAT RECORDS OF TRAVIS COUNTY, TEXAS. (THE 0.508 ACRE TRACT IS SUBJECT TO THIS).
- ITEM (10e.)

 15 FOOT WIDE DRAINAGE AND ACCESS EASEMENT AS SHOWN ON PLATS RECORDED IN VOLUME 42, PAGE 12 AND VOLUME 84, PAGE 43D OF THE PLAT RECORDS OF TRAVIS COUNTY, TEXAS. (THE 0.508 ACRE TRACT IS SUBJECT TO THIS).
- TIEM (10f.)
 7.5 FOOT WIDE PUBLIC UTILITY EASEMENT ALONG THE NORTHWEST AND WEST LINES
 OF LOT 1A. (THE 0.508 ACRE TRACT IS SUBJECT TO THIS).
- ITEM (10g.) EASEMENTS AND EASEMENT RIGHTS SET OUT IN INSTRUMENT RECORDED IN VOLUME 3558, PAGE 398 OF THE DEED RECORDS OF TRAVIS COUNTY, TEXAS. (THE 0.508 ACRE IS NOT SUBJECT TO THIS).
- BUILDING SET BACK REQUIREMENTS AS SHOWN OR SET OUT ON THE PLATS RECORDED IN VOLUME 42, PAGE 12 AND VOLUME 84, PAGE 43D OF THE PLAT RECORDS OF TRAVIS COUNTY, TEXAS. (THE 0.508 ACRE TRACT IS SUBJECT TO THESE), AND IN INSTRUMENT RECORDED IN VOLUME 3558, PAGE 398 OF THE DEED RECORDS OF TRAVIS COUNTY, TEXAS. (THE 0.508 ACRE TRACT IS NOT SUBJECT TO THIS).

BEARINGS ARE BASED ON THE TEXAS STATE PLANE COORDINATE SYSTEM, NAD 83 DERIVED FROM MUTLIPLE VRS GPS OBSERVATIONS. THE CONTROLLING MONUMENTS ARE A MAG NAIL WITH WASHER STAMPED "COA PUBLIC WORKS" SET IN THE CONCRETE SIDEWALK AT THE SOUTHEAST CORNER OF THE INTERSECTION OF MANOR ROAD AND LOYOLA LANE HAVING GRID COORDINATE VALUES OF N=10,086,567.71, E=3,137,867.98 AND A MAG NAIL WITH WASHER STAMPED "COA PUBLIC WORKS" SET AT THE NORTHEAST CORNER OF A CONCRETE PAD ON THE EAST SIDE OF LOYOLA LANE HAVING GRID COORDINATE VALUES OF N=10,085,966.40, E=3,138,261.39. DISTANCES SHOWN ARE SURFACE VALUES. THE COMBINED SCALE FACTOR IS 0.99993352.

OF

MARY P. HAWKINS

DATE

Page 2 of 2

MARY P. HAWKINS, R.P.L.S. NO. 4433 DRAWN BY: MARY P. HAWKINS

DRAWN BY: MARY P. HAWKINS UNIVERSITY HILLS BRANCH LIBRARY — SKETCH.DWG FB. 4063, PG'S. 1—6 QUALITY MANAGEMENT DIVISION
505 BARTON SPRINGS ROAD, SUITE 760
PHONE (512) 974-2661

DEPARTMENT OF PUBLIC WORKS

PHONE (512) 974-2661 FAX (512) 974-7179